


WELDING PLATES IN STAINLESS STEEL

HYGIENIC CERTIFIED COMPONENTS




Conveyor support, bushings and welding plates

Welding plate for round tubes – Stainless steel 304

Welding plate for square tubes – Stainless steel 304 (Aisi 1.4301)


Square Welding Plate – Stainless steel 304 (Aisi 1.4301)					
Threads	M10	M12	M16	M20	M24
Plate size A x B	Max static load (N)				
30 x 30 mm x 3mm	5000	5000			
35 x 35 mm x 3mm	5000	5000	8000		
40 x 40 mm x 3mm	5000	5000	8000	10000	
45 x 45 mm x 3mm	5000	5000	8000	10000	
50 x 50 mm x 4mm	5000	5000	8000	10000	12000
60 x 60 mm x 4mm	5000	5000	8000	10000	12000
70 x 70 mm x 4mm	5000	5000	8000	10000	12000
80 x 80 mm x 4mm	5000	5000	8000	10000	12000
100 x 100 mm x 4mm	5000	5000	8000	10000	12000



For other size, please contact us
Ordering as follow SQWP 40x40x3mm-M16

Welding plate for rectangular tubes – Stainless steel 304 (Aisi 1.4301)

Rectangular Welding Plate – Stainless steel 304 (Aisi 1.4301)					
Threads	M10	M12	M16	M20	M24
Plate size A x B x t	Max static load (N)				
50 x 30 mm x 3mm	5000	5000			
60 x 30 mm x 3mm	5000	5000			
60 x 40 mm x 3mm	5000	5000	8000	10000	
80 x 40 mm x 3mm	5000	5000	8000	10000	
80 x 50 mm x 4mm	5000	5000	8000	10000	12000
80 x 60 mm x 4mm	5000	5000	8000	10000	12000
100 x 50 mm x 4mm	5000	5000	8000	10000	12000
100 x 60 mm x 4mm	5000	5000	8000	10000	12000
100 x 80 mm x 4mm	5000	5000	8000	10000	12000



Round Welding Plate – Stainless steel 304 (Aisi 1.4301)


Round Welding Plate – Stainless steel 304 (Aisi 1.4301)					
Threads	M10	M12	M16	M20	M24
Plate diameter OD	Max static load (N)				
OD 30 mm x 3mm	5000	5000			
OD 33 mm x 3mm	5000	5000			
OD 38 mm x 3mm	5000	5000	8000		
OD 40 mm x 3mm	5000	5000	8000	10000	
OD 43 mm x 3mm	5000	5000	8000	10000	
OD 48 mm x 4mm	5000	5000	8000	10000	12000
OD 50 mm x 4mm	5000	5000	8000	10000	12000
OD 60 mm x 4mm	5000	5000	8000	10000	12000
OD 80 mm x 4mm	5000	5000	8000	10000	12000



For other size, please contact us
Ordering as follow RWP 40x3mm-M16

THREAD CHART (METRIC THREADS)

Simple Thread Designation	Thread Designation	Pitch (MM)	Basic Major Diameter	Basic Minor Diameter
			(External Threads)	(Internal Threads)
M5	M5x0.8	0.8	4.976	4.134
M6	M6x1	1	5.974	4.917
M8	M8x1.25	1.25	7.972	6.647
M10	M10x1.5	1.5	9.968	8.376
M12	M12x1.75	1.75	11.97	10.106
M16	M16x2	2	15.96	13.835
M20	M20x2.5	2.5	19.96	17.294
M24	M24x3	3	23.95	20.752
M30	M30x3.5	3.5	29.95	26.211
M36	M36x4	4	35.94	31.67
M42	M42x4.5	4.5	41.94	37.129
M48	M48x5	5	47.93	42.587





 **CALDIC** Techniek

Caldic Techniek B.V.
Schuttevaerweg 60
3044 BB Rotterdam
+31 (0)10 415 66 22
atverkoop@caldic-techniek.nl
www.caldic-techniek.nl